

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5515	360/46,65-68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/19 11:04
L2	50742	((write near2 driver) or ((half H) near2 (bridge switch)) or H\$1switch H\$1bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/19 11:05
L3	180	((write near2 driver) or ((half H) near2 (bridge switch)) or H\$1switch H\$1bridge) and (current near2 mirror) and (buffer near2 (amplifier amp))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/19 11:14
L7	1787	((odd match\$3) near2 interconnect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 11:06
L8	12	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 11:07
L9	14	2 same 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 11:07
L10	12	1 and 2 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/19 11:08
L11	97	((write near2 driver) or ((half H) near2 (bridge switch)) or H\$1switch H\$1bridge) and (current near2 mirror) and ((first second plural\$3 multiple pair) near3 resist\$4) and (buffer near2 (amplifier amp))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/19 11:09

EAST Search History

L13	65	((write near2 driver) or ((half H) near2 (bridge switch)) or H\$1switch H\$1bridge) and (current near2 mirror) and (buffer near2 (amplifier amp)) and (resist\$4 near3 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/19 11:11
L18	6	((write near2 driver) or ((half H) near2 (bridge switch)) or H\$1switch H\$1bridge) and (current near2 mirror) and (buffer near2 (amplifier amp)) and (match\$3 near3 impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/19 11:15
L19	4	((writ\$3 record\$3) near2 driver) and (interconnect\$3 near3 odd near2 characteristic) and (current near2 mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/19 11:16
L20	4	((writ\$3 record\$3) near2 driver) and (odd near2 characteristic) and (current near2 mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/19 11:16
S38	6	((("6794880") or ("5841603") or ("6275347") or ("5952851") or ("20050174668") or ("20030142432")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/18 18:46

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	1	(((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (interconnect\$3) and (match\$3 near2 impedance) and (scal\$3 near2 factor) and (current near2 mirror))).CLM.	US-PGPUB	OR	ON	2007/12/19 11:12
L15	0	(((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (odd near3 interconnect\$3) and ((resist\$4 current) near2 value) and (current near2 mirror) and (buffer near2 amplifier))).CLM.	US-PGPUB	OR	ON	2007/12/19 11:13
L17	0	(((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge H\$1switch) and (odd near3 interconnect\$3) and ((first second plural\$3 multiple pair) near2 resist\$4) and (current near2 mirror) and (buffer near2 amplifier))).CLM.	US-PGPUB	OR	ON	2007/12/19 11:14